

()

Pseudomonas syringae

//

Pseudomonas syringae pv. *syringae* (Pss)

Pronus)

(*mahaleb*

Pseudomonas syringae :

.(, ,)

.()

.()

.()

Pseudomonas .()

P. s. pv. syringae *syringae*

P. s. pv. morsprunorum

P. s. pv. persicae

.()

.()

P. s. pv. syringae

P. s. pv. morsprunorum

Pss

-
1. Nefris
 2. Fanal
 3. Rexelle
 4. Schattenmorelle
 5. Stevnsbar

...

:

.()

.(,)

/

Pss

()

.()

Pseudomonas syringae pv. *syringae*

Pss

Pss

(CFU)


Pseudomonas syringae pv. *syringae*

1. Kelleriis 16

2. Mazzard

3. Colony forming unit

.()



Pss
()

()

	/	**	/
	/		**
CV	/		/

:

Pseudomonas syringae pv. *syringae*

()

()

()

.(,)

Pss

.()

.()

.()

-
1. Lovell
 2. Nemaguard
 3. Myrobalan
 4. Marianna

REFERENCES

Pseudomonas syringae

3. Agrioss, G. N. 1988. Plant pathology. 3rd ed. Academic Press, 803pp.
4. Bech, k. 1992. Susceptibility to bacterial canker in sour cherry varieties, orchard observation & inoculation trials. Journal of phytopathol.,134:3,238-246.
5. Cameron, H. R. 1971. Effect of root or trunk stock on susceptibility of orchard trees to *Pseudomonas syringae* pv. *syringae*. Plant Disease Reporter, 55:421-423.

6. Czarnecki, B., & B. Zmudzin. 1987. Selection of mazzard cherries resistance to the bacterial canker disease – *Pseudomonas syringae* van Hall. Annals of Warsaw Agricultural University, SGGW-AR, Horticulture, no.14,9-15.
7. Endert, E., & D. F. Ritchie. 1984. Detection of pathogenicity, measurement of virulence and determination of strain variation in *Pseudomonas syringae* pv. *syringae*. Plant Disease, 68:677-680.
8. Hattingh, M. J., & I. M. M. Roos. 1995. Bacterial Canker. Compendium of stonefruit Diseases, by Ogawa, J. M., and E. I. Zehr. APS Press. 48-50pp.
9. Krzesinska, E. Z. & A. A. N. Miller. 1992. Excised twig assay to evaluate cherry rootstocks for tolerance to *Pseudomonas syringae* pv. *syringae*. Hortscience 27(2): 153-155.
10. Krzesinska, E., A. N. Zazarenko, & D. C. Gross. 1993. Inducing the syrB gene in *Pseudomonas syringae* pv. *syringae* in twig extract from cherry genotype. Hortscience, 28:4,335-337.
11. Latorre, B. A., & A. L. Jones. 1979. *Pseudomonas morsprunorum*, the Cause of Bacterial Canker of Sour Cherry in Michigan and its Epiphytic & Association with *Pseudomonas syringae*. Phytopathology., 69; 335- 339.
12. Lindow, S. E. 1983. The role of bacterial ice nucleation in frost injury to plants. Annual Review of Phytopathology, 21:363-384.
13. Melakeberhan, H., A. L. Jones, & P. Sobiczewki. 1993. Factors associated with the decline of sweet cherry trees in Michigan. Plant Disease. 77:3,266-271.
14. Mohammadi, M., A. Ghasemi, & H. Rahimian. 2001. Phenotypic characterization of Iranian strains of *Pseudomonas syringae* pv. *syringae* Van Hall, the causal agent of bacterial canker disease of stone fruit trees. Journal of Agriculture and Science Technology. Vol 3:51-65.
15. Reuveni, R. 1995. Biochemical markers for disease resistance. In:Singh, R.P., and U.S.Singh (eds.). Molecular Methods In Plant Pathology. CRC Press, 523pp.
16. Rom, R. C., & W. R. Dozier. 1985. Rootstock effect on peach tree survival, growth and yield, A regional research. Compact Fruit tree18, 85-91,(Abst).
17. Roos, I. M. M., & M. J. Hattingh. 1983. Fluorescent *Pseudomonas* associated with bacterial canker of stonefruit in South Africa. Plant Disease, 67:1267-1269.
18. Verma, K. S. 1986. Incidence of Bacterial canker of peach in punjab .Journal of Research Punjab Agriculture University. 32:1974–77,(Abst).