

()

*

(/ / : / / :)

(: ()
+ () + ()
+

pH

pH (P< /)

(P< /)

:

()
)
() (

()
()

.()

.()

(/)

()

()

() ()

()

()

(a)

(b)

(%)

/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	
/	/	/	/	%
/	/	/	/	%
/	/	/	/	%
/	/	/	/	-

DGAD- $(\text{N}^+ \cdot \text{K}^+) \cdot (\text{Cl}^- \cdot \text{S}^{2-})$

/	/	% SiO ₂
/	/	% Al ₂ O ₃
/	/	% Fe ₂ O ₃
/	/	% CaO
/	/	% MgO
/	/	% TiO ₂
/	/	% P ₂ O ₅
/	/	% MnO
/	/	% SO ₃
/	/	% Na ₂ O
/	/	% K ₂ O
/	/	% L.O.I

() .() pH () .()

()
)

± / a± / a± / / ± /
± / a± / ab± / ± /
± / b± / bc± / / ± /
± / b± / c± / / ± /

: ()

.(P< /)

()
)

± / / a± / a± / ± /
/ ± / / d± / b± / ± /
± / / b± / / bc± / ± /
± / / c± / c± / / ± /

) .((

)
)

/ ± / / ± / / ± / / ± /
/ ± / / ± / / ± / / ± /
/ ± / / ± / / ± / / ± /
/ ± / / ± / / ± / / ± /

.() : (

()

()

()

pH

.()

. ()

$ \pm $	$ c\pm $	$ c\pm $	$ \pm $
$ \pm $	$ a\pm $	$ a\pm $	$ \pm $
$ \pm $	$ b\pm $	$ bc\pm $	$ \pm $
$ \pm $	$ b\pm $	$ b\pm $	$ \pm $

)

(

.(

pH

/ pH

pH

pH

pH

1

pH

()

pH

1

pH

pH

pH

pH

pH

.()

()

pH

pH

pH

pH

(

REFERENCES

2. Bazanov, N. U., K. T. Tashenov, G. V. Tsitsishvili & T. G. Andronikashvili. 1982. Effect of natural zeolite on digestion in the rumen of ruminants. *Zvestiya Akademii Nauk GSSR Biologicheskaya*. 8: 88.
3. Bryant, M. P. & L. A. Burkey. 1953. Cultural method and characteristics of some of the more numerous groups of bacteria in the bovine rumen. *J. of Dairy Sci.* 36: 205-217.
4. Bryant, M. P. & I. M. Robinson. 1961. An improved nonselective culture medium of ruminal bacteria and its use in determining diurnal variation in number of bacteria in the rumen. *J. of Dairy Sci.* 51: 1446-1445.
5. Caldwell, D. R., & M. P. Bryant. 1966. Medium without rumen fluid for nonselective enumeration and isolation of rumen bacteria. *Applied Microbiology*. 14: 794-801.
- Clifton, R. A. 1985. Natural and synthetic zeolites. *Information Circular 9140*. Washington, D. C. 1.
7. Conway, E. J. 1950. In microdiffusion and volumetric error (2nd Ed.) Cross by lock wood and son. London. pp. 91-97.
8. Dehority, B. A. 1963. Isolation and characterizaton of several cellulolytic bacteria from in vitro rumen fermentation. *J. of Dairy Sci.* 46: 217-222.
9. Dehority, b. A. 1969. Pectin – fermenting bacteria isolated from the bovin rumen. *J. of General Microbiol.* 99: 189-196.
10. Dehority, B. A., P. A. Triabasso, & A. P. Grifo. 1989. Most probable number procedure for enumerating ruminal bacteria, including the simultaneous estimation of total and cellulolytic numbers in one medium. *Applied on Environmental microbiology* 55: 2789.
11. Galindo, J., A. Elias, & J. Cardero. 1982. The addition of zeolite to silage diets. 1. effects of the zeolite level on the rumen cellulolysis of cows fed silage. *Cuban. J. Agric. Sci.* 16: 277.
12. Galindo, J., A. Elias, J. B. Michelena, & N. Morffi . 1990a. The effect of zeolite on various physiological groups of ruminal bacteria of cows consuming silage under controlled grazing conditions. *Cuban J. Agric. Sci.* 24: 177.
13. Galindo, J., A. Elias, R. Piedra, & O. Lezcano.1990b. The effect of some zeolite components on the rumen microbial activity of silage diets. *Cuban J. Agric. Sci.* 24: 187.
14. Grubb, J. A. & B. A. Dehority. 1976. Variation in colony counts of total viable anaerobic rumen bacteria influenced by media and culture methods. *applied & Environmental microbiology* 31: 262-267.
15. Hemken, F. W., R. J. Harmon, & L. M. Mann.1984. Effect of clinoptilolite on lactating dairy cows fed a diet containing urea as a source of protein. In zeo – agriculture: use of natural zeolites in agriculture and a quaculture, pond, W. G. and F. A. Mumpton, eds, westview press, Boulder, Colorado: 175.
16. Hobson, P. N. & C. S. Stewart. 1997. The rumen microbial ecosystem. Chapman & Hall. London.
17. Hungate, R. E., G. D. Philips, & A. McGregor. 1960. A comparison of the rumen fermentation in European and zebu cattle. *Journal of Agriculrure Sci.* 54: 196-201.
18. Hungate, J. A., C. Rymer, & D. I. Givens. 1998. The effect of host diet on the gas production profile of hay and high – temperature dried grass. *Animal. Sci.* 67: 59-64.
19. Johnson, M. A., T. F. Sweeny, & L. D. Muller. 1988. Effect of feeding syntetic zeolite A and sodium bicarbonate on milk production nutrient digestion, and rate of digesta in dairy cows. *J. Dairy Sci.* 71: 946-953.
20. Joblin, K. N. 1981. Isolation, enumeration and maintain of rumen anaerobic fungi in the roll tubes. *Applied & Environmental microbiology* 42: 119-127.
21. Karadzhyan, M. & G. S. marukyan. 1987. Combined effect of natural zeolite and diamonium phosphate on growth of fattening bull calves. *Trudy erezavanskogo zooveterinarnogo Instituta*. 60: 32.

- ... : :
22. Korman, R. P., J. P. Mayer, & W. J. Stielau. 1967. Steam distillation of volatile fatty acids in the rumen digesta. *J. Dairy Sci.* 50: 75-76.
 23. Kudryashov, L. S. & D. V. Ketselashvili. 1992. Use of Natural zeolite as a feed additive. *myansanya promyshlennost.* 4: 7.
 24. Michalet. Doeau. B., & M. Y. Ould Bah. 1992. In vitro and insacco methods for the estimation of dietary nitrogen degradability in the rumen. a review *Animal Feed Science and Technology.* 40: 57-86.
 25. Mountfort, D. O., R. A. Asher, & T. Bauchop. 1982. Fermentation of cellulose t methane and carbon dioxide by a rumen anaerobic fungus in a triculture with methanobrevibacter sp. strain RA1 and methanosarcina barkeri apple. *Environ. Microbiol.* 44: 128-134.
 26. Mumpton, F. A. 1994. Mineralogy and geology of natural zeolite department of the earth science. New York. USA.
 27. Mumpton, F. A. 1999. Uses of natual zeolites in agriculture and industry. *Geology, Mineralogy, and Human welfare.* 96: 3348-3349.
 28. Mumpton, F. A. & P. H. Fishman. 1977. The application of natural zeolites in animal science ans aquaculture. *J. Anim. Sci.* 45: 1188.
 29. Nestorov, N. 1984. Possible application of natural zeolites in animal husbandary. In *zeo agriculture: use of natual zeolites in agriculture and a quaculture, pond*, W. G. and F. A. Mumpton, eds, Wesview press, Boulder, Colorado: 197.
 30. Neutze, S. A., R. C. Kellaway, & G. J. Faichney. 1986. Kinetics of nitrogen transfer across the rumen wall of the sheep given low – protein roughage. *British Journal of Nutrition.* 56: 497-507.
 31. Obispo, N. E. & B. A. Dehority. 1992. A most probable number method for enumeration of rumen fungi with studies on factor afacting their concentration in the rumen. *Journal of Animal Sci.* 66: 2701-2710.
 32. Orpin, C. G. 1977. Studies on the defaunation of the ovine rumen using dicotyl sodium sulphosuccinate. *J. Appl. Bacterial.* 43: 309-318.
 33. Orskov, E. R. 1994. Recent advances in understanding of microbial transformation in ruminants. *Livestock production science.* 39: 53-60.
 34. Petunkin, N. 1991. Influence of zeolites on animal digestion. In *Occurrence, properties and utilization of natural zeolites.* Fuentes, G. R. and J. A. Gonzalez, Havana, Cuba. 280.
 35. Pond, N. G. & J. T. Lee. 1984. Physiological effects of clinoptilolite and synthetic zeolite A in animals. In *zeo – agriculture: use of natural zeolites in agriculture and aquculture, pond* W. G. and F. A. Mumpton, eds, westview press, Boulder, Colorado: 129.
 36. Pond. W. G. 1984. Protection against acute ammonia toxicity by chinoptilolite in mature sheep. *Nutr. Rep. Int.* 30: 991.
 37. Stuchbury, T. & J. R. Scaife. 1991. Practical Manual.: farm animal biochemistry. department of agricultural biochemistry. Aberdeen university, U. K.
 38. Williams, A. G. & G. S. Coleman. 1988. The rumen protozoa, p 11-128 In P. N. Hobson (ed) *The rumen microbial ecosystem*, Elsevier Applied Science, London.