

()

***Brevipalpus obovatus* Donnadieu**

(Acari: Tenuipalpidae)

(// : // :)

Brevipalpus obovatus

/ ± / ± / ±

±

/ ± /
()

/ / / / ± / ± / ±

***Brevipalpus obovatus* :**

()

Pinus radiata

()

)

(...

Brevipalpus obovatus Donnadieu

(Cosmopolitan)

(Scarlet mite)

() (*Ligustrum*)

() ()

()

B. obovatus

()

()

.()

.()

(Thelytoky)

.()

/ ±

.()

±

B. phoenicis *B. obovatus*

.()

±

Oligonychus coffeae

B. obovatus

/ /

.()

/ ±

/ ±

/ ±

±

/

/ ±

) / ± / ± /

/ ± / / (/

/ ± / / / ±

/) /

(Deutchrysalis) .(

/ ±

/ ± /

/ ± / /

/ / /

) / ±

/ ± / / (

/ ± /

/ /

/ ±

/ / ()

/ ± /

/ ± /

/ / / / ±

(Nymphochrysalis)

/ ± (Teliochrysalis)

/ ± /

/ ± / /

/ ±

/

.()

/ ±

/ / /

/ / ± /

.() /

1. Protonymph
2. Deutonymph

/ ±

)
/ ± / / ±
 / (
 / / ±
/ ±

/ / ±
 /
 .()

()

 / ±
/ / ()
/ / ±
 / ± /
 / / /
 / ±
/ / /
 .()

(Teliochrysalis)

(Hysterosoma)

(Gnathosoma)

(Postpedal)

)

(

.()

()

.()

/ ±

/ ±

/

/

/

(Thelytoky)

/ ±

B. obovatus

(Bisexual)

()

<i>B. obovatus</i>		<i>B. obovatus</i>	
/ ±	/ ±	/ ±	/ ±
/ ± °C		/ ± °C	
/ ± /		/ ± /	
/ ± /	/	± /	/ /
/ ± /	/	/ ± /	/ /
/ ± /		/ ± /	/
/ ± /	/ /	/ ± /	
/ ± /		/ ± /	/ /
/ ± /		/ ± /	
± /		/ ± /	
/ ± /		/ ± /	
/ ± /	/ /	/ ± /	/ ()
/ ± /	/ /	/ ± /	/ ()

B. obovatus

±

<i>B. obovatus</i>		<i>B. obovatus</i>	
/ ±	/ ±	/ ±	/ ±
± /	/	± /	/
/ ± /		/ ± /	
± /	/ /	/ ± /	/
± /	/ /	/ ± /	/
±		/ ± /	/
± /	/ /	/ ± /	
± /	/	/ ± /	/
		/ ± /	/
		/ ± /	
		/ ± /	()
/ ± /	/ /	/ ± /	()

/ ± / ± / ± *B. obovatus*

±

/ ± /	± /	/ ± °C
/ ± /	/ ± /	/ ± °C
/ ± /	/ ± /	/ ± °C


B. obovatus

(% =)

/ a	/ a	/ a	a	/ a	/ a	/ a	/ a	/ a	/ a	/ a	/ ± °C
/ b	/ b	/ b	/ b	/ b	/ b	/ b	/ b	/ b	/ b	b	/ ± °C
/ c	/ b	/ b	/ c	/ c	/ b	/ b	/ b	/ b	c	/ c	/ ± °C

()

()



B. obovatus

±

B. obovatus

±

()	()	
/	//	//
/	//	//
/	//	//
/	//	//
/	//	//
/	//	//
/	//	//
/	//	//
/ ±		

/ ±

/ ±

± / ±

/

()

REFERENCES

Oligonychus ununguis

Brevipalpus obovatus

8. Benjamin, D. M. 1968. Insects and mites on tea in Africa and adjacent islands. *East African Agric & Forest. Jour.*, 33: 345-57.
9. Danthanarayana, W. & D. J. W. Ranaweera. 1970. The red spider mite and Scarlet mite of tea and their control. *Tea Q.* 41: 19-33.
10. Pijnacker L.P., M.A. Ferwerda, H.R. Bolland & W. Helle. 1980. Haploid female parthenogenesis in the false spider mite *Brevipalpus obovatus* (Acari: Tenuipalpidae). *Genetica*, 51(3): 211-214.
11. Ramlogun, H.G.S. 1971. The pests and diseases of tea in Mauritius. *Revue Agricole et Sucriere de l'île Maurice*, 50: 48-67.
12. Rattan, P.S. 1992. Pest and diseases control in Africa: Willson, K.C. and Clifford, M.N. (Eds.). *Cultivations to Consumption*. Chapman & Hall. London. 337-352.
13. Trindade M.L.B. & L.G. Chiavegato. 1994. Biological characteristics of the mites *Brevipalpus obovatus* D., *B. californicus* B. and *B. phoenicis* G. (Acari: Tenuipalpidae). *Anais da Sociedade Entomologica do Brasil*, 23(2): 189-195.

